





OVERVIEW

The ARIES v3.0 is a fully indigenous and a "Made in India" product to get started with basic microprocessor programming and embedded systems. This board is built upon a RISC-V ISA compliant THEJAS32 SoC (ET1031 VEGA Processor) with easy-to-use hardware and software. The VEGA SDK also provides full ecosystem with numerous examples and support documentation.

SPECIFICATIONS

> SoC : THEJAS32 *(32- bit RISC-V)

Clock Speed : 100 MHzInput Voltage : 7 V – 12 V

I/O Voltage : 3.3 V
 SRAM : 256KB
 Flash : 2MB

Peripherals : 3xUART, 3xSPI, 2xI2C, 3xTimer

Analog Input : 4 Channels
Digital I/Os : 8xPWM

32xGPIOs (29xGPIO, 3xRGB LED)

Dimension : 69mm X 54mm

*The First RISC-V VEGA SoC Indigenously Developed by C-DAC



APPLICATIONS

- > Sensor fusion
- Smart Meter
- System supervisors
- > Remote sensors
- Small IoT devices
- Wearable devices
- Motor drives
- Electronic Toys
- Electronic education devices
- > Inverters
- > Industrial networking
- Legacy 8/16-bit applications



Centre for Development of Advanced Computing Hardware Design Group Thiruvananthapuram, Kerala – 695033

Phone: 0471-272 5897, 2723333 (Ext: 347) Mob: +91 9037 569 219

E-Mail: vega@cdac.inwww.vegaprocessors.in